

B

INDEX MAPS.

T. 2N, R. 3E. 2nd Mer.

	126	126-127	126-127	126-127	125-127	125-127						
129	6	149	5	144	4	140	3	137	2	133	1	125
	149	149	144	140	136	133						
129	7	148	8	144	9	140	10	136	11	132	12	124
	148	148	143	139	136	132						
129	18	148	17	143	16	139	15	135	14	132	13	124
	147	147	143	139	135	131						
128	19	146	20	142	21	138	22	135	23	131	24	124
	146	146	142	138	134	131						
128	30	145	29	141	28	138	27	134	26	130	25	123
	145	145	141	137	134	130						
128	31	144	32	141	33	137	34	133	35	130	36	123
	121-122	121-122	121-122	121-122	121-122	121-122						

T. 3N, R. 3E. 2nd Mer.

	156		156		156-157		155-157		155-157		155-157		155-157
159	6	180	5	174	4	170	3	167	2	163	1	153	
	179		179		174		170		166		162		
159	7	179	8	173	9	170	10	166	11	162	12	154	
	178		178		173		169		166		162		
158	18	178	17	173	16	169	15	165	14	161	13	154	
	177		177		172		169		165		161		
158	19	170	20	172	21	168	22	165	23	161	24	153	
	176		176		172		168		164		160		
158	30	175	29	171	28	168	27	164	26	160	25	153	
	175		175		171		167		163		160		
157	31	175	32	171	33	167	34	163	35	159	36	153	
	151-152		151-152		151-152		151-152		151-153		151-153		

The figures on the lines refer to the page.

Township N. 3 North, Range N. 3 East 2. Mer. Indiana

South Boundary

West On Rand^m S. boundary of Sec. 36, T. 3 N. R. 3 E.
 40.00 Set temp^y. $\frac{1}{2}$ mile post
 80.00 Set temp^y. mile post
 Good H. Oak timbered land

West On Rand^m S. boundary of Sec. 35, T. 3 N. R. 3 E.
 13.00 a Brook 10 hrs. wide Cr. & N. E.
 29.50 a do 10 " " " N. E.
 40.00 Set temp^y. $\frac{1}{2}$ mile post
 80.00 Set temp^y. q. Sec. post.
 This mile over very brushy Oak timb. Soil

West On Rand^m S. boundary of Sec. 34, T. 3 N. R. 3 E.
 40.00 Set temp^y. $\frac{1}{2}$ mile post
 70.00 Brushy thin Soil, thinly timbered
 80.00 Set temp^y. mile post.
 Land thin, timber Oak &c.

*

West On Rand^m S. boundary of Sec. 32, T. 3 N. R. 3 E.
 36.50 a Brook 10 hrs. wide Cr. North
 40.00 Set temp^y. $\frac{1}{2}$ mile post
 58.00 a Brook 15 hrs. wide Cr. North
 80.00 Set temp^y. mile post.
 Land timber &c. Same as on the last mile

West On Rand^m S. boundary of Sec. 31, T. 3 N. R. 3 E.
 25.00 a Brook 10 hrs. wide Cr. N.
 40.00 Set temp^y. q. Sec. post
 80.00 Intersected the N. & S. line, 200 hrs. N. of
 the Town Corner, thin Oak land

* West On Rand^m S. boundary of Sec. 33, T. 3 N. R. 3 E.

T3N R3E 2^d Mer. Indiana

30.00 West side of the Brushy thicket

40.00 Set temp. 1/2 mile post

80.00 Set temp. 1/2 mile post.

Sand thin timber Oak &c.

September 21st 1806.

East On true line S. boundary of Sec. 31, T3N. R3E.

40.00 Set the q. Sec. post on true line, from which
a W. Oak 10 m. dia. bray N22W12 lks. dist.
a Gum 6 " " " S33E5 " "80.00 Set a post Cor. to Secs. 31 & 32, from which
a Gum 8 m. dia. bray N36E44 lks. dist.
a W. Oak 30 " " " S36W12 " "

East On true line S. boundary of Sec. 32, T3N. R3E.

40.00 Set the q. Sec. post on true line from which
a Poplar 29 m. dia. bray N47W15 lks. dist.
a Do 8 " " " N27E10 " "80.00 Set a post Cor. to Secs. 32 & 33, from which
a Hickory 10 m. dia. bray N29W22 lks. dist.
a Do 10 " " " N80W34 " "

East On true line S. boundary of Sec. 33, T3N. R3E.

40.00 Set the q. Sec. post on true line from which
a Poplar 10 m. dia. bray S36W4 lks. dist.
a Dogwood " " " N12W26 " "80.00 Set a post Corner to Secs. 33 & 34, from which
a Dogwood 8 m. dia. bray N16E27 lks. dist.
a W. Oak 40 " " " N54W69 " "

East On true line S. boundary of Sec. 34, T3N. R3E.

40.00 Set the q. Sec. post on true line from which
a Hickory 6 m. dia. bray N26W6 lks. dist.

T3N R3E, 2^d. Mer. Indiana

a B. Oak 30 in. dia. bray 177 E 34 lks. dist. of
 80.00 Let a post Cor. to Sec. 34 & 35, from which
 a W. Oak 15 in. dia. bray 141 E 34 lks. dist. of
 a B. Oak 40 " " " N 58 W 64 " "

East On true line S. boundary of Sec 35, T3N. R3E.
 40.00 Let the q. Sec. post on true line from which
 a W. Oak 20 in. dia. bray N 78 W 16 lks. dist. of
 a Dogwood 6 " " " N 16 W 16 " "
 80.00 Let a post Cor. to Sec. 35 & 36, from which
 a W. Oak 10 in. dia. bray S 51 W 15 lks. dist.
 a Gum 8 " " " N 84 W 20 " "

East On true line S. boundary of Sec. 36, T3N. R3E.
 40.00 Let the q. Sec. post, on true line from which
 a B. Oak 30 in. dia. bray S 55 E. 18 lks. dist. of
 a Hickory 8 " " " N 59 E 16 " "
 80.00 to the Town Corner

East Boundary
 North On E. boundary of Sec. 36, T3N. R3E.
 5.50 a Brook 10 lks. wide Cr. S. E.
 25.45 a Hickory 20 in. dia.
 40.00 Let the q. Sec. post, from which
 a Hickory 8 in. dia. bray N 43 W 8 lks. dist. of
 a Walnut 5 " " " S 89 E 1 lks. "
 80.00 Let a post Cor. to Sec. 25 & 36, from which
 a Gum 20 in. dia. bray S 49 E 8 lks. dist. of
 a Do 20 " " " N 89 W 46 " "
 Good farming Oak timbered land

North On E. boundary of Sec. 25, T3N. R3E.
 40.00 Let the q. Sec. post, from which

T3N R3E, 2^d Mer. Indiana

a Beech 10 in. dia. bray S19W10 lks. dist. of
 a W. Oak 10 " " " N29E8 " "
 80.00 Set a post Cor. to Sec. 24 & 25, from which
 a W. Oak 10 in. dia. bray S64W17 1/2 lks. dist. of
 a Do 18 " " " S21E24 " "
 This mile over rolling land, Beech, Oak,
 Hickory & Gum, underg^{ing}. Hogwood

North On E. boundary of Sec. 24, T3N. R3E.
 40.00 Set the q. Sec. post from which
 a Sugar 10 in. dia. bray S15E16 lks. dist. of
 a Do 8 " " " N80W30 " "
 80.00 Set a post Cor. to Sec. 13 & 24, from which
 a W. Oak 8 in. dia. bray S77W22 1/2 lks. dist. of
 aycamore 20 " " " East 1 link "
 This post stands on the bank of a Brook 25
 lks. wide Course West. Thin land the same
 quality.

North On E. boundary of Sec. 13, T3N. R3E.
 38.50 a Brook 20 lks. wide Cr. West.
 40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bray S34E6 lks. dist. of
 a Do 5 " " " S28W14 " "
 56.50 a Brook 10 lks. wide Cr. S.E.
 80.00 Set a post Cor. to Sec. 12 & 13, from which
 a Dogwood 6 in. dia. bray S45E16 lks. dist. of
 a Do 5 " " " S15W10 " "
 This mile over hilly Oak timber land, underg^{ing} the Dogw.

North On E. boundary of Sec. 12, T3N. R3E.
 11.70 a Poplar 15 in. dia.
 40.00 Set the q. Sec. post, from which

T3N. R3E. 2nd Mer. Indiana

a Dogwood 6 mi. dist. by way N 58 E 10 lks. dist. of
 a Beech 5 " " " S 67 W 5 " "
 69.00 Brook 20 lks. wide Course West
 80.00 at Beech 6^{mi. dist.} Cor. to Sec. 1 of 12, T3N. R3E.
 This mile over good farming land, timber
 Oak, Poplar, Walnut & Beech, and gth Spice

North On E boundary of Sec. 1, T3N. R3E.

40.00 At the g. Sec. post, from which
 a Chestnut 1 1/2 mi. dist. by way N 65 W 6 lks. dist. of
 a Do 18 " " " S 26 E 28 " "
 44.00 a Creek 50 lks. wide Cr. West
 80.00 At a post Cor. to Townships N^o 3 & 4 North
 Range, N^o 3 & 4 East, from which
 a Beech 1 1/2 mi. dist. by way N 46 E 15 1/2 lks. dist. of
 a W. Oak 8 " " " S 48 E 37 " "

North Boundary

West On Rand^m. S. boundary of Sec. 36, T4N. R3E.

25.20 a Brook 10 lks. wide Cr. S. W.
 33.50 a Do 10 " " " S. W.
 40.00 At temp^y. g. Sec. post
 50.00 a Brook 10 lks. wide Cr. S. W.
 80.00 At temp^y. mile post.
 Muddling Oak, Hickory & Beech timbered land

West On Rand^m. S. boundary of Sec. 35, T4N. R3E.

24.50 a Brook 20 lks. wide Cr. S. W.
 40.00 At temp^y. g. Sec. post
 80.00 At temp^y. mile post. This mile over good
 land timber Beech and Poplar.

West On Rand^m. S. boundary of Sec. 34, T4N. R3E.

T3N R3E 2nd Mer. Indiana40.00 Set temp^y. q^y. Sec. post80.00 Set temp^y. Mile post. This mile very hilly
land timber Oak, Hickory &c.West On Rand^m. S. boundary of Sec. 33, T4N. R3E.40.00 Set temp^y. q^y. Sec. post80.00 Set temp^y. Mile post. Land &c. the sameWest On Rand^m. S. boundary of Sec. 32, T4N. R3E.40.00 Set temp^y. q^y. Sec. post80.00 Set temp^y. Mile post. Land the same qualityWest On Rand^m. S. boundary of Sec. 31, T4N. R3E.40.00 Set temp^y. q^y. Sec. post77.84 Intersected the N & S. line 27 lks. S. of the Town
Corner. Land flat, timber principally Beech

East On true line S. boundary of Sec. 31, T4N. R3E.

37.84 Set the q^y. Sec. post on true line, from which
a Beech 15 in. dia. bray S 25° W 5 lks. dist. &
an Ironwood 6 " " " N 23° W 15 " "77.84 Set a post Cor. to Secs. 31 & 32, T4N. R3E, from which
a W. Oak 10 in. dia. bray S 6° W 27 lks. dist. &
a B. Oak 13 " " " N 6° E 8 " "

East On true line S. boundary of Sec. 32, T4N. R3E.

40.00 Set the q^y. Sec. post on true line, from which
a Gum 12 in. dia. bray S 66° W 26 lks. dist. &
a Sugar 15 " " " N 66° E 26 " "80.00 Set a post Cor. to Secs. 32 & 33, T4N. R3E, from which
a Hickory 10 in. dia. bray S 61° E 14 lks. dist. &
a Do 10 " " " N 16° E 18 " "

T 3 N R 3 E 2^d Mer. Indiana

East On true line S. boundary of Sec. 33, T 4 N. R 3 E.
40.00 At the q. Sec. post, on true line, from which
a Beech 10 in. dia. brang N 52 W 6 lks. dist. of
a W. Oak 20 " " " S 52 E 19 " "

80.00 At a post, Cor. to Sec. 33 & 34, T 4 N. R 3 E, from which
a Dogwood 7 in. dia. brang S 76 W 2 lks. dist. of
a W. Oak 10 " " " S 40 E 2 " "

East On true line S. boundary of Sec. 34, T 4 N. R 3 E.
40.00 At the q. Sec. post, from which
a Dogwood 6 in. dia. brang S 49 E 3 lks. dist. of
a Ho 5 " " " N 19 W 27 " "

80.00 At the post Cor. to Sec. 34 & 35, T 4 N. R 3 E, from which
a Beech 10 in. dia. brang N 45 E 24 lks. dist. of
a Ho 12 " " " S 22 W 23 " "

East On true line S. boundary of Sec. 35, T 4 N. R 3 E.
40.00 At the q. Sec. post on true line, from which
a Beech 10 in. dia. brang S 79 W 26 lks. dist. of
a Ho 6 " " " N 23 W 22 " "

80.00 At a post, Cor. to Sec. 35 & 36, T 4 N. R 3 E, from which
a Beech 15 in. dia. brang S 43 E 6 lks. dist. of
a Ho 8 " " " S 8 W 8 " "

East On true line S. boundary of Sec. 36, T 4 N. R 3 E.
40.00 At the q. Sec. post on true line from which
a Beech 8 in. dia. brang S 63 E 11 lks. dist. of
an Iron? 6 " " " N 73 W 25 " "

80.00 to the Town Corner. Sept. 28th 1886.

West Boundary

North On E. boundary of Sec. 36, T 3 N. R 2 E.
39.25 a W. Oak 20 in. dia.

T3N R3E, 2^d. Mer. Indiana

- 40.00 Let the q. Sec. post, from which
 a Dogwood 6 in. dia. bears S55^W 2 1/2 lks. dist. of
 a W. Oak 10 " " " N25^E 15 1/2 " "
- 80.00 Let a post Cor. to Secs. 25 & 36, T3N, R2E, from which
 a W. Oak 10 in. dia. bears S17^W 11 lks. dist. of
 a Do 12 " " " N55^E 19 " "
 Good farming Oak timbered land.

North On E. boundary of Sec. 25, T3N, R2E.

- 40.00 Let the q. Sec. post, from which an Elm 20 in. dia.
 Supplies the place of post
- 40.50 a Spring Course East
- 80.00 Let a post Cor. to Secs. 24 & 25, T3N, R2E, from
 which a Dogwood 6 in. dia. bears S17^W 11 lks. dist. of
 a Do 5 " " " N17^E 7 " "
 Good farming land, timber Oak

North On E. boundary of Sec. 24, T3N, R2E.

- 15.65 a W. Oak 20 in. dia.
- 40.00 Let the q. Sec. post, from which
 a W. Oak 10 in. dia. bears S46^E 2 lks. dist. of
 a Hickory 10 " " " N68^W 14 " "
- 80.00 Let a post Cor. to Secs. 13 & 24, T3N, R2E, from which
 a Poplar 40 in. dia. bears S4^W 45 1/2 lks. dist. of
 a W. Oak 30 " " " S55^W 24 " "
 This mile over good land, timber Oak & hickory.

North On E. boundary of Sec. 13, T3N, R2E.

- 40.00 Let the q. Sec. post from which
 a Hickory 12 in. dia. bears S74^W 17 lks. dist. of
 a W. Oak 40 " " " N64^W 28 " "
- 80.00 Let a post Cor. to Secs. 12 & 13, T3N, R2E, from which
 a Mulberry 10 in. dia. bears S30^E 40 lks. dist. of

T3N R3E. 2^d. Mer. Indiana

w W. Walnut 10 in. dia^r. bears N5W 26 lks dist.
Land the same quality

North On E. boundary of Sec. 12 T3N. R. 2E.
40 . 00 Set the q^r. Sec post from which
a B. Oak 15 in. dia^r. bears S40E 21 lks. dist &
a Dogwood 6 " " " S39 W14 1/2 " "
80 . 00 Set a post Cor. to Sec. 12 & 1, T3N. R. 2E. from which
a Beech 6 in. dia^r. bears N46E 14 lks. dist &
a Sugar 20 " " " S46 W22 " "
Land the same quality

North On E. Boundary of Sec. 1. T3N. R. 2E.
20 . 90 a Beech 24 in. dia^r.
24 . 00 Brook 10 lks. wide Course N. E.
40 . 00 Set the q^r. Sec. post from which
a Beech 15 in. dia^r. bears S40W 16 lks. dist &
a Beech 10 " " " N45E 11 lks. dist
80 . 00 a Beech 20 in. dia^r. Cor. of T. 3 & 4 N, R. 2 & 3 East
This mile over best Beech Timber Land
Surveyed by Arthur Henvie, D. S. Sept. 23rd 1806

Subdivision. April 29th 1807

North Between Sec. 35 & 36 T3N R. 3E var. 6° 40'
40 . 00 Set the q^r. Sec. post from which
a B. Gum 15 in. dia^r. bears N68E 25 lks. dist &
a Dogwood 7 " " " N49 W21 " "
80 . 00 Set a post Cor. to Sec. 25, 26, 35 & 36. from which
a Beech 10 in. dia^r. bears N15W 20 lks dist &
a Do 10 " " " S47E 13 " "
This mile Broken Land Soil of a middling quality
timber Oak Hickory poplar & beech poor farming land

T3N R3E 2^d Mer. Indiana

East On Random line Between Sec. 25 & 36, T3N R3E
 40.00 Set temp^y. q^r. Sec. post
 78.50 Intersected N. & S. line 56 lks. S. of post
 Land middling level Timber same middling
 farming land

West On true line Between Sec. 25 & 36
 39.25 Set a temp^y. q^r. Sec. post^{at average dist^y.} from which
 a Hickory 20 in. dia^r. bears S 48 E 30 lks. dist^y
 a B. Oak 24 " " " N 7 W 4 " "
 78.50 to Sec. Corner

North Between Sec. 25 & 26 T3N R3E.
 40.00 Set the q^r. Sec. post from which
 a Poplar 27 in. dia^r. bears S 39 E 43 lks. dist^y
 a Beech 10 " " " S 71 W 13 " "
 49.00 a small brook Course N. W.
 78.50 a Brook 10 lks. wide Course West
 80.00 Set post Cor. to Sec. 23, 24, 25, & 26. from which
 a Sugar 10 in. dia^r. bears N 44 E 16 lks. dist^y
 a Mulberry 13 " " " S 41 W 56 " "
 Land broken & Billy timber same rich soil.
 poor farming land

East On Random line Between Sec. 24 & 25, T3N R3E
 40.00 Set the temp^y. q^r. Sec. post
 79.27 Intersected N. & S. line 54 lks N. of the post
 Land and timber same, poor 2^d. rate soil poor farm-
 ing land

West On true line Between Sec. 24 & 25, T3N R3E.
 39.63 Set the temp^y. q^r. Sec. post^{at average dist^y.} from which
 a B. Gum 12 in. dia^r. bears N 26 E 19 lks. dist^y

T3N. R3E. 2^d. Mer. Indiana

79.27 a Beech 8 in. dia. bray S13E 25 lks. dist.
to Sec. Corner

North Between Secs. 23 & 24, T3N. R3E.

40.00 Let the q. Sec. post, from which
a Beech 14 in. dia. bray S23E 10 lks. dist. &
an Elm 18 " " " N72W 41 " "

56.50 a Brook 8 lks. wide Cr. N.W.

80.00 Let a post Cor. to Secs. 13, 14, 23 & 24, from which
a Beech 27 in. dia. bray S64W 26 lks. dist. &
an Ironw? 8 " " " S73E 6 " "

Land broken & hilly, timber Beech, Sugar, Walnut
Ash, undugth Spice - the 1st 1/2 mile good farming
land, the last 1/2 very poor.

East On Rand^m, between Secs. 13 & 24, T3N. R3E.

20.00 a Brook 15 lks. wide Cr. N.W.

40.00 Let temp^y. q. Sec. post

78.63 intersected the E. boundary 69 lks. N. of the post
This line nearly up the Creek bottom

West On true line between Secs. 13 & 24, T3N. R3E.

39.31 Let the q. Sec. post at average dist. from which
a Poplar 15 in. dia. bray N71E 14 lks. dist. &
a W. Oak 18 " " " N79W 18 " "

78.63 to Sec. Corner

North Between Secs. 13 & 14, T3N. R3E.

2.00 a Brook 15 lks. wide Cr. W.

40.00 Let the q. Sec. post, from which
a Hickory 9 in. dia. bray S29W 9 lks. dist. &
a Maple 8 " " " N29E 33 " "

80.00 Let a post Cor. to Secs. 11, 12, 13 & 14, from which

T3 N. R3 E. 2^d. Mer. Indiana

a Poplar 9 in. dia. brang S 7 W 23 lks. dist. of
 a Beech 25 " " " N 14 W 25 " "
 Sand hilly, 1st 1/2 mile through a small bottom
 crossing a small brook a number of times
 timber Beech, Sugar, Poplar &c. poor farming land

East On Rand^m. between Sec. 12 & 13, T3 N. R3 E.

40.00 at ten p^y. of Sec. post

77.80 Intersected the E. boundary 212 lks. N. of post
 Land, timber &c. same as on the last mile

West On true line between Sec. 12 & 13, T3 N. R3 E.

38.90 at the q^r. Sec. post at average dist. from which
 an Ironwood 8 in. dia. brang S 73 E 5 lks. dist. of
 a Do 7 " " " S 76 W 24 " "

77.80 to Sec. Corner

North Between Sec. 11 & 12, T3 N. R3 E. var. 8th 00th

40.00 at the q^r. Sec. post, from which

a Beech 20 in. dia. brang S 61 E 35 lks. dist. of
 a Dogw^d. 9 " " " S 35 W 11 " "

80.00 at a post Cor. to Sec. 1, 2, 11 & 12, from which

a Beech 9 in. dia. brang South 9 lks. dist. of
 a W. Oak 14 " " " North 48 " "

This mile over level, rich soil, timber Beech,
 Sugar, Poplar, undug^t, Spice, middling good
 farming land

var. 7th 00th

East On Rand^m. between Sec. 11 & 12, T3 N. R3 E.

32.00 a Brook 15 lks. wide Cr. S. N. W.

40.00 at ten p^y. of Sec. post

42.50 a Brook 15 lks. wide Cr. S. N. W.

78.47 Intersected the E. boundary 22 lks. N. of post

T3N R3E. 2nd. Mer. Indiana

1st 1/2 mile hilly - the last 1/2 Creek bottom of a poor quality, timbered with Beech, Principally not much underg^o. Muddling farming land.

Nest On true line between Sec. 1 & 12, T3N. R3E 39. 2/3 Set the q. Sec. post, at average dist. from which
a Sugar 7 in. dia. beam N38 1/2 W 9 1/2 lbs. dist. 1/2
a Do 6 " " " S5 1/2 W 13 " "
78. 47 to Sec. Corner.

North Between Sec. 1 & 12, T3N. R3E. 2nd. Mer. 40.00 Set the q. Sec. post, from which
a Beech 11 in. dia. beam S38 1/2 W 13 lbs. dist. 1/2
a Do 5 " " " N47 E 21 " "
52.00 a Creek 30 lbs. wide Course N.W.
76.07 Intersected the N. boundary 77 lbs. N. of post, set
a post Cor. to Sec. 1 & 12, from which
a Beech 15 in. dia. beam S48 1/2 W 28 lbs. dist. 1/2
a Do 14 " " " N40 E 21 " "
The 1st half mile very hilly - the last low & wet
Beech bottom

April 3rd. 1807.

North Between Sec. 34 & 35, T3N. R3E. 40.00 Set the q. Sec. post, from which
a P. Oak 12 in. dia. beam S21 1/2 W 15 lbs. dist. 1/2
an Elm 6 " " " N17 E 10 " "
80.00 Set a post cor. to Sec. 26, 27, 34 & 35, from which
a Hickory 15 in. dia. beam S13 1/2 W 31 lbs. dist. 1/2
a Do 18 " " " N43 E 38 " "
Land Broken, timber Oak & Hickory poor land

East On Random betwⁿ. Sec. 26 & 35, T3N. R3E.

T3N R3E 2nd Mer. Indiana

- 8.50 a Creek 30 lks. wide Course North
 40.00 Set the ^{temp.} q. Sec. post
 79.30 Intersected N. $\frac{1}{2}$ S. line 82 lks. South of post
 Sand Hilly timber Same poor farming land

- West On true line between Secs. 26 $\frac{1}{2}$ 35 T3N R3E.
 39.65 Set the q. Sec. post at average dist. from which
 a B. Oak 18 in. dia. bears N 26 E 15 lks. dist. $\frac{1}{2}$
 a B. Gum 20 " " " N 84 W 15 " "
 79.30 to Sec. Corner

- North Between Secs. 26 $\frac{1}{2}$ 27 T3N R3E
 2.40 a Creek 5 lks. wide Course N. W.
 40.00 Set the q. Sec. post from which
 a Beech 6 in. dia. bears S 37 W 9 lks. dist. $\frac{1}{2}$
 a Ironwood 9 " " " N 49 E 30 " "
 46.00 a Small brook Course N. W.
 52.00 a Small Spring branch Course S. W.
 73.50 a " brook Course N. W.
 80.00 Set a post Cor. to Secs. 22, 23, 26 $\frac{1}{2}$ 27, from which
 a Hickory 9 in. dia. bears S 73 W 10 lks. dist. $\frac{1}{2}$
 a Ho 14 " " " S 66 E 15 " "
 Sand broken and Hilly timber Beech Sugar
 poplar Oak Hickory &c. poor farming land

- East On between Secs. 23 $\frac{1}{2}$ 26 T3N R3E.
 40.00 Set the temp. q. Sec. post
 52.00 a Brook 10 lks. wide Cor. North
 77.00 a " 15 " " " N. W.
 79.00 Intersected the N. $\frac{1}{2}$ S. line 80 lks. S. of the post.
 the first $\frac{1}{2}$ mile rolling the last. Hilly timber
 Same poor farming land

T3N R3E. 2^d Mer. Indiana

West On true line between Secs. 23 & 26 T. 3 N. R. 3 E.
 39.75 Set the q. Sec. post at average dist. from which
 a Hickory 12 in. dia. bears S 11 W 35 lks. dist. &
 a W. Oak 36 " " " N 4 E 48 " "
 79.50 to Sec. Corner

North Between Secs. 22 & 23 T. 3 N. R. 3 E
 40.00 Set the q. Sec. post from which
 a Dogwood 8 in. dia. bears S 3 W 23 lks. dist. &
 a Sugar 14 " " " N 55 E 20 " "
 80.00 Set a post Corner to Secs. 14, 15, 22 & 23. from which
 a W. Oak 15 in. dia. bears S 5 W 7 lks. dist. &
 a R. Oak 27 " " " N 1 W 34 " "
 this mile middling level timber Land good farming
 land thick undergrowth

East On Random Between Secs. 14 & 23 T. 3 N. R. 3 E.
 50.50 a Brook 15 lks. wide Cor. North
 40.00 Set the temp. q. Sec. post
 79.26 Intersected N. & S. line 4 lks. North of post
 This mile the principal part through rich creek
 bottom Crossing the creek 20 lks wide several times

West On true line Between Secs. 14 & 23 T. 3 N. R. 3 E
 39.63 Set the temp. q. Sec. post at average dist. from which
 a Beech 15 in. dia. bears S 82 E 26 lks. dist. &
 a Sugar 18 " " " N 80 W 24 " "
 79.26 to Sec. Corner.

North Between Secs. 14 & 15 T. 3 N. R. 3 E.
 18.50 a Creek 30 lks. wide Cor. West.
 28.00 a Small brook Cor. S. West
 40.00 Set the q. Sec. post from which

S 3 N. R 3 E. 2^d. Mer. Indiana

a Beech 15 in. dia. bears N 11 E 19 lks. dist. of
 a No 20 " " " S 18 E 18 " "
 40 . 00 Set a post Cor. to Sec. 10, 11, 14 & 15 from which
 a W. Walnut 15 in. dia. bears N 80 E 31 lks. dist. of
 a Poplar 16 " " " N 41 W 27 " "
 This mile part Hilly and part Creek. Bottom timber:
 Beech Sugar poplar Hickory Ash &c. Middl^y. good Soil

East On Random line between Sec. 11 & 14 S 3 N. R. 3 E
 26 . 50 a Small Brook Cor. S. W.
 40 . 00 Set the temp^y. of Sec. post
 71 . 50 a Small brook Course South
 78 . 75 Intersected N. & S. line 1.27 lks. North of post
 Land Broken & Hilly timber Same, poor farming land

West On true line between Sec. 11, & 14 S 3 N. R. 3 E
 39 . 37 Set the q^r. Sec post at average dist. from which
 a W Oak 9 in. dia. bears S 21 W 6 lks. dist. of
 a Poplar 9 " " " N 78 E 7 " "
 78 . 75 to Section Corner

North Between Sec. 10 & 11 S 3 N. R. 3 E
 40 . 00 Set the q^r. Sec. post from which
 a B. Walnut 24 in. dia. bears N 75 E 30 lks. dist. of
 a No 24 " " " S 48 W 2 " "
 57 . 00 a Small Brook Cor. S. W.
 80 . 00 Set the post Cor. to Sec. 2, 3, 10 & 11. From which
 a Beech 15 in. dia. bears S 54 E 47 lks dist. of
 a No 20 " " " N 31 W 8 " "
 Land broken & Hilly timber Beech Sugar Oak &c.
 poor farming land.

East On Random line between Sec. 2 & 11 S 3 N. R. 3 E.
 40 . 00 Set the temp^y. of Sec. post

167

T3N R3E 2nd Mer. Indiana

61. 25 a Small brook Cor^d North
 79. 18 Intersected N. & S. line 68 lks. N. of post
 Sand Hilly timber same rich soil poor farming land

West On true line between Sec^s. 2 & 11 T3N R.3E
 39. 59 Set the q^r. Sec. post at average dist. from which
 a Sugar 20 in. dia^r. bears S 81 E 5 lks. dist. &
 a Hickory 24 " " " N 83 W 19 " "
 79. 18 to Sec. Corner

North Between Sec^s. 2 & 3, T3N R.3E
 40. 00 Set the q^r. Sec post from which
 a Beech 4 in. dia^r. bears S 2 W 15 lks. dist. &
 a Do 5 " " " N 7 W 16 " "
 76. 30 Intersected the N. boundary 265 lks. N. of the post
 Set a post Cor. to Sec^s. 2 & 3, from which
 a Beech 8 in. dia^r. bears S 72 E 16 lks. dist. &
 a Do 7 " " " N 45 W 20 " "
 Sand and timber same

North Between Sec^s. 33 & 34 T3N R.3E. May 1st 1807.
 40. 00 Set the q^r. Sec. post from which
 a Dogwood 7 in. dia^r. bears S 61 W 13 lks. dist. &
 a B. Oak 24 " " " N 45 E 33 " "
 60. 00 Set a post Cor. to Sec^s. 27, 28, 33, & 34 from which
 a W. Oak 15 in. dia^r. bears S 51 W 22 lks. dist. &
 a B. Oak 27 " " " N 45 E 3 " "
 Sand Broken timber Oak & Hickory & Dogwood
 poor farming land.

East On Random between Sec^s. 27 & 34 T3N R.3E.
 40. 00 Set the temp^r. q^r. Sec. post
 78. 85 Intersected N. & S. line 45 lks. South of post

T3 N. R3 E. 2nd Mer. Indiana

Land & timber same

West On true line between Secs. 27 & 34 T3 N. R3 E.
 39.42 Set the q. Sec. post at average dist. from which
 a W Oak 15 in. dia. bears N44 W 24 lks. dist. &
 a B. Gum 7 " " " 21 W 26 " "
 76.45 to Sec. Corner

North Between Secs. 27 & 28 T3 N. R3 E
 40.00 Set the q. Sec. post from which
 a Poplar 10 in. dia. bears N72 E 15 lks. dist. &
 a Do 18 " " " N46 W 6 " "
 65.00 a small brook Cor. S. E.
 80.00 Set the post Cor. to Secs. 21, 22, 27, 28 from which
 a Beech 5 in. dia. bears N81 E 3 lks. dist. & a Do 10 in. dia. bears N72 W 23 lks. dist.
 Land timber &c. same as on the last mile

East On Random between Secs. 22, 27 T3 N. R3 E
 40.00 Set the temp. q. Sec. post
 46.00 a creek 20 lks. wide Cor. North
 79.23 Intersected the N. & S. line 60 lks. North of post
 Land Hilly timber Beech, Sugar, Walnut B. Ash
 &c. Undergrowth Spice.

West On true line between Secs. 22 & 27 T3 N. R3 E.
 39.61 Set the q. Sec. post at average dist. from which
 a Hickory 10 in. dia. bears N30 W 18 lks. dist. &
 a Walnut 7 " " " 15 W 15 " "
 79.23 to Sec. Corner.

North Between Secs. 21 & 22 T3 N. R3 E
 40.00 a Brook 10 lks. wide Cor. N. E. Set the q. Sec. post from which
 a Beech 18 in. dia. bears N59 E 14 lks. dist. &
 an Elm 24 " " " 158 W 41 " "
 80.00 Set the post Cor. to Secs. 15, 16, 21, 22, from which

Camp

167

T3N R3 E. 2^d. Mer. Indiana

a Hickory 10 in. dia. bears S39E41 lks. dist. of
 a W. Oak 12 " " " N3W67 " "
 The first 1/4 mile the same, the last 3/4 rate Hills.

East On Random Between Sec. 15 & 22 T3N. R. 3E.
 40.00 Set the temp. q. Sec. post
 44.00 a creek 50 lks. wide Cor. North
 79.42 Intersected N. & S. line 80 lks. North of post
 Land broken & Hilly poor farming land

West On true line Between Sec. 15 & 22 T3N. R. 3E.
 39.76 Set the q. Sec. post at average dist. from which
 a Beech 22 in. dia. bears N84E12 lks. dist. of
 a Do 15 " " " N72W27 " "
 79.42 to Sec. Corner.

North Between Sec. 15 & 16. T3N. R. 3E. May 3rd 1807.
 40.00 Set the q. Sec. post from which
 a B. Oak 20 in. dia. bears N27E47 lks. dist. of
 a W. Oak 30 " " " South 24 " "
 68.00 Creek 50 lks. wide Cor. N.W.
 80.00 Set the post Cor. to Sec. 9, 10, 15, 16. from which
 a Beech 10 in. dia. bears N75W10 lks. dist. of
 a Sugar 9 " " " S43E4 " "
 this mile very Hilly and poor of timber Oak,
 Beech, Sugar, poplar, &c.

East On Random line Between Sec. 10 & 15. T3N. R. 3E.
 40.00 Set the temp. q. Sec. post
 67.50 a Small Brook Cor. S.W.
 79.44 Intersected the N. & S. line 34 lks. North of post
 the first 1/4 mile Creek bottom low & wet the
 principal timber as both the last very Hilly Land

S 3 N R 3 E 2nd Mer. Indiana

West On true line Between Sec^s. 10 & 15 S 3 N R. 3 E
 39.72 Set the q^r. Sec. post at average dist from which
 a Beech 7 in. dia^t. bears S 5 W 14 lks. dist. &
 a B. Oak 24 " " " N 86 W 26 " "
 79.44 to Section Corner

North Between Sec^s. 9 & 10 S 3 N R. 3 E
 40.00 Set the q^r. Sec. post from which
 a Beech 27 in. dia^t. bears N 87 E 4 lks. dist. &
 a Do 18 " " " S 33 W 23 " "
 62.00 a creek 10 lks. wide Cor^d S. W.
 80.00 Set the post Cor. to Sec^s. 3, 4, 9, 10, from which
 a Hickory 18 in. dia^t. bears S 48 W 7 lks. dist. &
 a Do 18 " " " S 67 E 54 " "
 the 1st p. mile Creek Bottom the last rolling
 Sand timber Beech, Sugar, poplar, Oak &c.
 middling good farming Land.

East On Random line Between Sec^s. 3, 10, & S 3 N R. 3 E,
 34.50 a Small Brook Cor^d S. W. ran. 8.40'
 40.00 Set the temp^y. q^r. Sec. post
 79.13 Intersected at 1/2 South line 24 lks. N. of post
 Sand Rolling timber same middling farming land

West On true line between Sec^s. 3 & 10 S 3 N R. 3 E.
 39.56 Set the q^r. Sec. post at the average dist.
 a W. Oak 11 in. dia^t. sup^l is the place of post
 79.13 to Sec. Corner

North Between Sec^s. 3 & 4 S 3 N R. 3 E 2nd Mer. v. 8.00.
 16.50 a Small Brook Course S. W.
 40.00 Set the q^r. Sec. post from which
 a W. Oak 32 in. dia^t. bears S 42 W 14 lks. dist. &
 a Poplar 9 " " " N 18 E 24 " "

17

T3N R3E. 2. Mer. Indiana

76. 90 Intersected the N. Boundary 2.89. lks W. of post
a W Oak 18 in. dia. Marked for Cor. of Sec. 3 & 4
Land Hilly timber same the first 1/2 mile midd-
ling farming land

North Between Sec. 32 & 33 T3N R3E. May 4th 1807
40. 00 Set the q. Sec. post from which
a W. Oak 11 in. dia. bears E 6 W. 45 lks. dist. of
a do 12 " " " N 31 E 28 " "
80. 00 Set the post Cor. to Sec. 28, 29, 32, 33, from which
a Hickory 6 in. dia. bears E 37 E 10 lks. dist. of
a W. Oak 24 " " " N 30 W 19 " "
this mile rather broken timber Oak & Hickory
poor farming Land

East on Random betw. Sec. 28 & 33, T3N R3E.
40. 00 Set temp. q. Sec. post
79. 00 Intersected the N & S. line 96 lks. N. of the post
Land rather broken, timber same (middling good
farming land.

West on true line between Sec. 28 & 33, T3N R3E.
39. 50 Set the q. Sec. post at average dist. from which
a W. Oak 18 in. dia. bears S 86 E 20 lks. dist. of
a Poplar 16 " " " N 54 W 58 " "
79. 00 to Sec. Corner.

North Between Sec. 28 & 29, T3N R3E.
40. 00 Set the q. Sec. post, from which
a W. Oak 20 in. dia. bears S 11 E 12 lks. dist. of
a Hickory 7 " " " N 79 W 27 " "
80. 00 Set a post Cor. to Sec. 20, 21, 28 & 29, from, which
a W. Oak 30 in. dia. bears S 46 W 13 lks. dist. of

T3N R3E 2^d. Mer. Indiana

a Dogwood 7 in. dia. bray S 70 E. 15 lks. dist. of
the N. 1/2 mile same - the last 1/2 hilly & poor

East On Rand^m between Sec. 21 & 28, T3N. R3E.
40.00 Set temp^y. of Sec. post
78.62 Intersected the N & S. line 236 lks. N. of post
Land hilly, and timber same.

West On true line betw. Sec. 21 & 28, T3N. R3E.
39.31 Set the of. Sec. post, at average dist. from which
a W. Oak 13 in. dia. bray N 73 E 30 lks. dist. of
a Do 18 " " " N 65 W 23 " "
78.62 to Sec. Corner.

North Between Sec. 20 & 21, T3N. R3E. var. 7° 30' E.
40.00 Set the of. Sec. post, from which
a Dogwood 9 in. dia. bray S 1 E 25 lks. dist. of
a R. Gum 13 " " " N 51 E 11 " "
80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
a Poplar 36 in. dia. bray S 10 E. 20 lks. dist. of
a Hickory 7 " " " N 28 W 7 " "
Land broken, timber, Beech, Poplar, Oak &c.
underg^d. Specie middling farming land

East On Rand^m between Sec. 16 & 21, T3N. R3E. var. 6° 30' E.
40.00 Set temp^y. of Sec. post
78.80 Intersected the N & S. line 130 lks. S. of the post.
This mile part hilly & part rolling land; timber
Oak, Beech, Sugar, Poplar, Ash, Buckeye,
Hackberry, Walnut &c. rich soil, middling good land.

West On true line, between Sec. 16 & 21, T3N. R3E.
39.40 Set the of. Sec. post, at average dist. from which

S3 N. R3 E. 2^d Mer. Indiana

173

a Beech 20 in. dia. brang S 7 E 16 lks. dist. of
a Do 10 " " " N 30 W 36 " "
78.80 to Sec. Corner.

North Between Sec. 16 & 17, S3 N. R3 E. var. 7° 20' E.
40.00 Set the q. Sec. post, from which
a Poplar 30 in. dia. brang S 84 W 3 lks. dist. of
a W. Beech 7 " " " S 66 E 11 " "
var. 8° 00' E.

60.50 a Brook 12 lks. wide Course N. W.

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
a W. Walnut 15 in. dia. brang S 39 W 27 lks. dist. of
a W. Oak 18 " " " N 46 E 52 " "
The 1st 1/2 mile Middling good farming land -
the last 1/2 very broken & hilly

East On Rand^m. betw. Sec. 9 & 16, S3 N. R3 E. var. 6° 30' E.
40.00 Set the temp. q. Sec. post
75.50 a Creek 50 lks. wide Course N. W.
78.64 Intersected the N of S. line 230 lks. N. of the post.
Land hilly & rich Soil timber Same.

West On true line between Sec. 9 & 16, S3 N. R3 E.
39.32 Set the q. Sec. post, at average dist. from which
a Beech 9 in. dia. brang N 81 W 10 lks. dist. of
a Poplar 14 " " " N 43 E 7 " "
78.64 to Sec. Corner.

North Between Sec. 8 & 9, S3 N. R3 E. var. 7° 20' E.
34.00 a Creek 50 lks. wide Course N. W.
40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. brang S 63 E 11 lks. dist. of
a Do 13 " " " N 42 W 17 " "

T3N R3E, 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 a W. Ash 13 in. dia. bran S 25 E. 33 lks. dist. of
 an Elm 13 " " " N 9 E 16 " "
 First half mile hilly & good Soil - the last half
 a Beech Creek bottom rather wet.

East On Ran^d betwⁿ Sec. 4 & 9, T3N R3E. var. E. 30' E.

32.50 a Small Brook Course South

40.00 Set temp^y of Sec. post

46.50 a Brook 10 lks. wide Course South

78.02 Intersected the st^d of S. line 85 lks. N. of the post.
 This mile part bottom & post hilly, timber Beech
 Sugar, Oak &c.

West On true line between Sec. 4 & 9, T3N R3E.

39.01 Set the of. Sec. post at average dist. from which
 a W. Oak 12 in. dia. bran N 29 W 9 lks. dist. of
 a Hickory 3 " " " N 65 E 11 " "

78.02 to Sec. Corner.

North Between Sec. 4 & 5, T3N R3E.

40.00 Set the of. Sec. post, from which

a Hickory 15 in. dia. bran N 63 E 19 lks. dist. of

a W. Ash 18 " " " N 78 W 2 " "

47.50 a Small Brook Course S. W.

75.86 Intersected the N. boundary 132 lks. N. of post

Set a post Cor. to Sec. 4 & 5, from which

a Beech 7 in. dia. bran N 81 E 12 lks. dist. of

a W. Ash 18 " " " S 35 W 23 " "

Land broken & hilly, timber Beech, Sugar,
 Hickory Chestnut &c.

May 5th 1807 var. 7° 30' E.

T3N R3E T. Mer. Indiana

175

North Between Secs. 31 & 32, T3N R3E.

40.00 Let the q. Sec. post, from which
an Elm 12 in. dia. bran N48W19 lks. dist. of
a W. Oak 27 " " " N32E49 " "

47.00 a Creek 15 lks. wide Course N.W.

52.00 a Do 20 " " " N.W.

80.00 Let a post Cor. to Secs. 29, 30, 31 & 32, from which
a W. Ash 18 in. dia. bran N41E32 lks. dist. of
a Do 10 " " " N41W8 " "

Land hilly, timber Oak, Beech & Poplar.

Achery fe. (Middling good Soil and middling
farming land.

East On Rand. betw. Secs. 29 & 32, T3N R3E. var. 7.30'

40.00 Let temp. q. Sec. post

77.54 Intersected the N & S. line 82 lks. N. of the post
Land timber fe. same as on the last mile

West On true line between Secs. 29 & 32, T3N R3E.

38.77 Let the q. Sec. post at average dist. from which
a Maple 7 in. dia. bran N20W6 lks. dist. of
a Achery 5 " " " S80E11 lks. "

77.54 to Sec. Corner.

West Between Secs. 30 & 31, T3N R3E. var. 6.40'

18.00 a Creek 30 lks. wide Cr. N.W.

40.00 Let the q. Sec. post, from which
a W. Oak 13 in. dia. bran N13E29 lks. dist. of
a Dogwood 7 " " " N72W46 " "

77.70 Intersected the N. boundary 83 lks. N. of post.
a D. Oak 15 in. dia. bran S56E33 lks. dist. of
a C. Oak 18 " " " N62W25 " "

Land broken timber same poor farming land.

T3N R3E. 2^d Mer. Indiana

North Between Secs. 29 & 30, T3N. R3E. var. 8.00' E.
 40.00 a Beech 7 in. dia. (Marked for q. Sec. Corner.
 80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which
 a Sugar 24 in. dia. branch South 20 lks. dist. of
 a Beech 27 " " " N 97° 52 " "
 Land hilly & poor

East On Rand^m. betwⁿ Secs. 20 & 29, T3N. R3E.
 40.00 Set temp^y. q. Sec. post
 40.50 a small brook Course N.W.
 78.30 Intersected the N & S. line 160 lks. N. of the post
 Land broken & hilly, timber Same, poor farming land.

West On true line between Secs. 20 & 29, T3N. R3E.
 39.15 Set q. Sec. post at average dist. from which
 a Gum 7 in. dia. branch N 11 E 29 lks. dist. of
 a W. Walnut 8 " " " S 23° 21 " "
 78.30 to Sec. Corner

West Between Secs. 19 & 30, T3N. R3E.
 21.50 a Creek 30 lks. wide C.S. N.W.
 40.00 Set the q. Sec. post, from which
 a B. Gum 12 in. dia. branch N 83° 25 lks. dist.
 a Poplar 48 " " " N 56 E 25 " "
 77.10 Intersected the W. boundary 153 lks. N. of post.
 Set a post Cor. to Secs. 19 & 30, from which
 a Hickory 7 in. dia. branch S 3 E 26 lks. dist. of
 a Do 5 " " " N 53° 7 " "
 The 1st 1/2 mile broken - the last 1/2 hilly, timber
 Oak, Hickory, Beech, Sugar, Ash &c. rich Soil
 middling good farming land.

May 6th 1807.

177

T3N R3E. 2^d. Mer. Indiana

North Between Secs. 19 & 20 T3N. R. 3E
 40 . 00 Set the q^r. Sec. post from which
 a Beech 11 in. dia. bears S 30 W 12 lks. dist. &
 a No 10 " " " N 15 E 20 " "
 52 . 50 a Brook 10 lks. wide Course N. W.
 40 . 00 Set a post Corner to Secs. 17, 18, 19 & 20, from which
 a Poplar 17 in. dia. bears S 9 E 4 lks. dist. &
 a B. Oak 18 " " " N 18 W 26 " "
 Land very Hilly timber Same rich Soil very poor
 farming land

East On Pradone Between Secs. 17 & 20 T3N. R. 3E. var. 6.40.
 40 . 00 Set temp^y q^r. Sec. post
 55 . 00 a Small brook Course N. W.
 78 . 33 Intersected the N. S. line 64. lks. North of post
 Land broken & Hilly Timber Same rich Soil & very
 thick undergrowth

West On true line between Secs. 17 & 20 T3N. R. 3E.
 39 . 16 Set q^r. Sec. post at average dist. from which
 a W. Walnut 8 in. dia. bears N 24 W 23. lks. dist. &
 a B. Walnut 6 " " " S 1 E 14. " "
 78 . 33 to Sec. Corner.

West Between Secs. 18 & 19 T3N. R. 3E.
 10 . 00 a Brook 15 lks. wide Course N. W.
 40 . 00 Set the q^r. post from which
 a B. Oak 20 in. dia. bears N 71 E 26. lks. dist. &
 a Sugar 7 " " " S 87 W 14 " "
 76 . 43 Intersected the W. boundary 2.68 lks. North of post
 Set a post Cor. to Secs. 18 & 19 from which
 a Poplar 20 in. dia. bears S 82 E 8 lks. dist. &
 a B. Oak 24 " " " N 41 W 21 " "

S3 N. R3 E. 2nd Mer. Indiana

The first $\frac{1}{2}$ mile. Hilly & poor. the last middling good farming land well timbered.

North Between Secs. 17 & 18 S3 N. R. 3 E.

40.00 Let the q^r. Sec. post from which
a Beech 10 in. dia. bears North 7 lks. dist. &
a W. Oak 20 " " " S38 E 11 " "

40.00 Let post Cor. to Secs. 7, 8, 17 & 18. from which
a dogwood 7 in. dia. bears S29 E 7 lks dist. &
a No 8 " " " N23 W 29 " "

Land very hilly, timber Oak, Hickory, Beech &c.
very poor farming land.

East On Land^m. betwⁿ. Secs. 8 & 17, S3 N. R3 E, var. 6. 30.

40.00 Let temp^y. q^r. Sec. post

46.50 at Brook 12 lks. wide Corner —

79.17 Intersected the N & S. line 12 lks. N. of the post.
Land very hilly excepting a creek bottom
about 15 chains wide.

West On true line between Secs. 8 & 17, S3 N. R3 E

39.58 Let the q^r. Sec. post at average dist. from which
a R. Gum 20 in. dia. bears N32 E 17 lks. dist. of
a Beech 8 " " " N1 E 21 " "

79.17 to Sec. Corner.

West Between Secs. 7 & 18, S3 N. R3 E.

4.50 a creek 40 lks. wide Course North

8.50 a do 40 " " " S. E.

12.00 a do 40 " " " North, bottom rock wide

39.50 a small Brook bears N. E.

40.00 Let the q^r. Sec. post, from which
a Beech 13 in. dia. bears S87 E. 26 lks. dist. of

T3 North, R3 E. 2^d Mer. Indiana

on Elm 18 in. dia. beam S74°W 60 lks. dist.
 76.73 Intersected the West boundary 220 lks. N. of post.
 Set a post Cor. to Sec. 7 & 18, from which
 a Dogwood 8 in. dia. beam S5°E 18 lks. dist. of
 a Beech 9 " " " N65°W 28 " "
 Land post level & post hilly, timber same
 middling good farming land.

North Between Sec. 7 & 8, T3 N. R3 E. var. 8.00' E
 40.00 Set the q. Sec. post, from which
 a Sugar 9 in. dia. beam S37°W 3 lks. dist. of
 a W. Ash 27 " " " N17°E 7 " "
 9.50 a Creek 50 lks. wide Course N.E.
 12.50 a Do 50 " " " N.W.
 13.50 a Do 50 " " " West
 80.00 a Sugar 12 in. dia. (Marked for Cor. to Sec. 5, 6,
 7 & 8, T3 N. R3 East. This mile through
 a Beech bottom very level, and rather wet
 in some places.

East On Rand^m betw. Sec. 5 & 8, T3 N. R3 E. var 6.30' E
 40.00 Set temp. q. Sec. post
 78.43 Intersected the N & S. line 30 lks. S. of post
 This mile part Creek bottom & part hilly
 timber &c. same as on the last mile

West On true line between Sec. 5 & 8, T3 N. R3 E.
 39.21 Set the q. Sec. post at average dist. from which
 a Sugar 5 in. dia. beam N32°W 5 lks. dist. of
 a Beech 9 " " " S50°E 40 " "
 78.43 to Sec. Corner.

West Between Sec. 6 & 7, T3 N. R3 E.

T³N. R³E. 2^d. Mer. Indiana

- 40.00 Let the q. Sec. post, from which
a Beech 12 mi. dia. bran West 20 lks. dist. of
a Do 14 " " " N 65 E 15 " "
- 55.00 a Creek 60 lks. wide Course S.W.
- 75.86 Intersected the N. boundary 306 lks. N. of post
Let a post Cor. to Sec. 6 & 7, T³N. R³E. from which
a Beech 6 mi. dia. bran N 4 W 14 lks. dist. of
a Poplar 36 " " " N 42 E 24 " "
- The greater part of this mile is Creek bottom level
fert, timbered with Beech, Gum, Poplar, Maple
Sugar, Ash &c. good meadow land

North Between Sec. 5 & 6, T³N. R³E.

- 23.50 a Brook 6 lks. wide Course S.W.
- 40.00 Let the q. Sec. post, from which
a Hickory 14 mi. dia. bran S 27 E 9 lks. dist. of
a Do 13 " " " N 26 W 31 " "
- 76.20 Intersected the N. boundary 54 lks. west of post
Let a post Cor. to Sec. 5 & 6, from which
a W. Oak 18 mi. dia. bran N 10 E 9 lks. dist. of
a Do 14 " " " N 10 W 21 " "
- Land hilly & poor, timber Oak & Hickory
very brushy. Variation of the Compass 6.30.
Survey by Mr. Harris, Dep. Sur.

Comp.

I certify that the foregoing transcript of field notes of Township
N³N. Range N³E. 2^d. Mer. Indiana, has been comp.
with the original notes in this office & found to be correct.
Surveyor General's Office
Cincinnati, April 14th 1841

E. S. Peary
Sur. Genl.